# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/730,549	10/730,549 12/05/2003		Mary J. Laughlin	CWRU-P01-046	1488
28120	28120 7590 01/14/2008			EXAMINER	
ROPES & GRAY LLP PATENT DOCKETING 39/41 ONE INTERNATIONAL PLACE			ART UNIT	PAPER NUMBER	
BOSTON, M				<u> </u>	

DATE MAILED: 01/14/2008

Please find below and/or attached an Office communication concerning this application or proceeding.

## Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)
 10/730,549	LAUGHLIN ET AL.
Examiner	Art Unit
Lora E. Barnhart	1651

The amendment document filed on 05 November 2007 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:  1. Amendments to the specification:  A. Amended paragraph(s) do not include markings.  B. New paragraph(s) should not be underlined.  C. Other
<ul> <li>2. Abstract:</li> <li>A. Not presented on a separate sheet. 37 CFR 1.72.</li> <li>B. Other</li> </ul>
<ul> <li>3. Amendments to the drawings:</li> <li>A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).</li> <li>B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required.</li> <li>C. Other</li> </ul>
<ul> <li>4. Amendments to the claims: <ul> <li>A. A complete listing of all of the claims is not present.</li> <li>B. The listing of claims does not include the text of all pending claims (including withdrawn claims)</li> <li>C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended).</li> <li>D. The claims of this amendment paper have not been presented in ascending numerical order.</li> <li>E. Other: see continuation sheet.</li> </ul> </li> </ul>
5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4):
For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.

### For

#### TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:

- 1. Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendment filed after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
- 2. Applicant is given one month, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1, to 4, are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.

Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.

#### Failure to timely respond to this notice will result in:

Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or

Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.

Legal Instruments Examiner (LIE), if applicable

Telephone No.

<sup>--</sup> The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Page 2

10/730,549 Art Unit: 1651

#### Continuation Sheet for Notice of Noncompliant Amendment

Continuation of Box 4. The amendments to the claims cause the amendment document received 11/5/07 to be noncompliant because the amendments to the claims are not presented relative to the immediate prior version of the claims. See 37 C.F.R. 1.121(c) (2). It is noted that in the advisory action mailed 10/25/07, applicant was advised that the claim listing was noncompliant due to incorrect status identifiers in claims 42, 43, and 49-53. See M.P.E.P. § 714 (II) (F) (D). The amendment after final rejection was entered by the examiner.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lora E. Barnhart whose telephone number is 571-272-1928. The examiner can normally be reached on Monday-Thursday, 9:00am - 5:30pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Wityshyn can be reached on 571-272-0926. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Wasternha 8

Lora E Barnhart
Patent Examiner